Amarr

Amarr®Residential Garage Doors







Openings. Open up to a new way of thinking.

The garage. It's more than a way in, or a way out.

Inside it's a parking lot, a gym, a workshop.


Outside, it's an extension of your home, a

reflection of your personality, of your individuality.

Whether you prefer steel, wood, or aluminum,

rethink what a garage door is, or can be.

Amarr Openings. Open up to the possibilities.



AMARR ADVANTAGE

Style and Variety

We offer a broad range of garage door designs to meet your unique needs; whether your home is traditional or contemporary, our Amarr garage door designs can add beauty, curb appeal and long lasting value to your home.

Energy Efficiency

Maintain the temperature in your garage with a garage door with a high R-value rating. We offer a wide range of insulations and door thicknesses to provide the level of energy efficiency you desire.



Safety

Our SafeGuard System features patented center and end



hinges, exclusive safety bottom brackets and uniquely-designed pinch protection sections to enhance overall safety for homeowners. These garage doors are designed to reduce the

risk of serious hand and finger injuries.

Protection

Amarr hurricane rated garage doors with impact resistant construction help protect homes and property in hurricane and high wind prone regions.

Sustainability

Amarr products are made with up to 90% recycled content and approximately 5-10% of the steel is reused at the steel mill.



Made in USA



All Amarr residential and commercial steel and aluminum garage doors are manufactured in

the USA, affirming our commitment to high quality and durability.




AMARR CARRIAGE COURT

Distinctly defined. Amarr Carriage Court garage doors increase a home's curb appeal and the highly defined carriage house designs are easily visible from the end of the driveway.

Built with durable composite overlay trim and insulated steel-backed sections, these garage doors provide energy

efficiency, noise reduction and innovative design to your home.

AVAILABLE WITH WINDOWS LAURELBAY (LB) PINETOP (PT) BRADBERRY (BB) KENSINGTON (KT) SEABROOK (SB) ROSEMONT (RM) NOT AVAILABLE WITH WINDOWS ASHLEY (AL) CHARLTON (CT) GREENBRIAR (GB) DARBY (DB) NEWBERRY (NB) TANGLEWOOD (TW) ARCADIA (AR)* RAVENWOOD (RW)* BROOKLAND (BL)* MAGNOLIA (MG)*



carriage house designs

complete specifications.

available in four color

options.

See page 30 for

WARRANTY

Overlay + Steel +

Insulation + Steel

R-VALUE

6.48

- · Lifetime limited warranty on finish
- 5-year limited warranty on materials and workmanship
- . 5-year limited warranty on hardware
- 10-year limited warranty on window and overlay discoloration
- · 5-year limited warranty on overlay delamination

optional decorative windows

& hardware to match your

See p. 6 for window options.

See p.11 for decorative

hardware options.

home's design.

TOP SECTIONS

Available for BRADBERRY, KENSINGTON, LAURELBAY, PINETOP, ROSEMONT AND SEABROOK with CLEAR, OBSCURE* or INSULATED* GLASS

CLOSED SQUARE (104)





CLEAR SQUARE (115)










3 LITE SQUARE (106)









4 LITE ARCH (111)





6 LITE SQUARE (112)







8 LITE SQUARE (113)







*Price upcharge applies.

Available for ARCADIA+, ASHLEY, BROOKLAND+, DARBY, CHARLTON, FAIRFIELD, GREENBRIAR, MAGNOLIA+, MIDDLETON, NEWBERRY, RAVENWOOD[†] AND TANGLEWOOD

CLOSED SQUARE (104)



CLOSED ARCH (105)



[†]Closed Square only.

COLORS

Actual paint colors may vary from samples shown.

TRUE WHITE / WHITE (W1) ALMOND / WHITE (A1)







Door, window, and overlay can be painted using 100% acrylic exterior latex paint with a Light Reflective Value (LRV) of 8 or higher. Contact paint manufacturer for LRV ratings. Painting your garage door voids the warranty.

Kensington design with Clear Square windows in Almond/White with Blue Ridge decorative hardware



OVERLAY TRIM



- 5/8" thick composite overlay trim of reclaimed wood fiber and thermoplastic polymer
- Coped edge design
- · Sustainable, green building material
- Resists rot, decay, and fungal growth
- · Won't flake, blister, peel, pit or corrode

WINDOWS



- Large rectangular or arched window designs in 24" top sections
- 5/8" thick decorative window grilles with coped edges
- · Available in Clear, Obscure* or Insulated* glass

*Price upcharge applies.

DOOR WIDTHS

Only available in widths shown: not available in odd widths

6' WIDE[†]





15'6", 15'8", 16' & 18' WIDE

8', 9' & 10' WIDE





[†]Available in Ashley, Charlton, Greenbriar and Laurelbay (no window options).

DOOR HEIGHTS

Available in 6'6" – 10' heights in 3" increments‡

7' and 8' TALL







‡Rosemont not available in 8'3", 8'9", 9'3" and 9'9" door heights; Tanglewood not available in 6'3" and 7'3" door heights.



AMARR CLASSICA°

Looks can be deceiving. From a distance, you see wood. Up close, it's sturdy, durable, low-maintenance steel. The Amarr Classica collection of carriage house doors. Precision-shaped doors in fresh, clean, classic carriage house styles that go up and down like traditional garage doors. Unique three-section tall designs, instead of four, help deliver a more authentic carriage house look. Deception never looked so good.

Santiago design with Madeira windows in True White/Gray with Blue Ridge handles and hinges















VALENCIA (V)

Cortona Long Panel Arched Top







Bordeaux





Santiago with Nile Windows (S6)



CL1000

Cortona with Seine Windows (C8)

Single-Layer: Steel

CL2000 Double-Layer: Steel + Insulation

CL3000

Triple-Layer: Steel + Insulation + Steel

Designs

Unique three-section tall carriage house style doors available in seven stamped-steel panel designs.

See page 30 for complete specifications.

Decorative

Windows & Hardware

Optional decorative windows & hardware, reminiscent of authentic hardware found on original carriage houses, add character to your door.

See pp. 10-11 for glass, window, and decorative hardware options.

Actual paint colors may vary from samples shown.

COLORS

















See page 27 for more information.‡



WALNUT (NT)‡



Odd heights only available in Amarr Classica CL3000. † Price upcharge applies; odd heights not available ‡ Price upcharge applies.

GLASS OPTIONS

Insulated glass available in Clear, Frost and Dark Tint.*

AMARR CLASSICA® & HARDWARE OPTIONS TWO-TONE PAINT OPTIONS* *Price upcharge applies BASE DOOR PANEL TRUE WHITE ALMOND WICKER TAN SANDTONE TERRATONE CHARCOAL GRAY DARK BROWN BLACK TRUE WHITE AI MOND WICKER TAN SANDTONE TERRATONE CHARCOAL GRAY DARK BROWN BLACK HUNTER GREEN GRAY TOP SECTIONS CLOSED ARCH • Available for TUSCANY (T1), SANTIAGO (S1), LUCERN (L1), VALENCIA (V1), CORTONA (C1) CLOSED SQUARE • Available for TUSCANY (T2), SANTIAGO (S2), LUCERN (L2), VALENCIA (V2) ALUMINUM 9" HANDLES CLOSED DOUBLE ARCH . Available for TUSCANY (T1D), SANTIAGO (S1D) LUCERN (L1D), VALENCIA (V1D), CORTONA (C1D) 10-1/2" HANDLEST CLOSED ARCH • NORTHAMPTON [N1] CLOSED SQUARE • NORTHAMPTON (N2) CLOSED ARCH • BORDEAUX (B1) CLOSED SQUARE • BORDEAUX (B2)

DANUBE (4)*


NILE (6)*

SEINE (8)*

NO INSERT

JARDIN (75)+

 Window inserts shown on Clear glass. Design also available with Obscure, Frost or Dark Tint glass.
 † Empered obscure glass with baked-on ceramic design Design visibility varies due to lighting.



CLOSED SQUARE • CORTONA (C2)

MADEIRA (5)*

RHINE (7)*

THAMES (10)*

AMERICANA (57)+

TRELLIS (76)+

NOTTINGHAM

CLAVOS



AMARR OAK SUMMIT®

Self-expression shouldn't cost a fortune. With the Amarr Oak Summit collection, it won't. These durable steel doors offer an attractive carriage house look. Choose from a variety of door colors, decorative hardware, and window accents. Customize your look with our most affordable carriage house door.

Recessed design with Thames DecraTrim in Sandtone with Alpine handles



DESIGNS

BEAD BOARD (BB)



LONG BEAD BOARD (LPBB)

RECESSED (RE)


RAISED (RS) Raised with Cascade DecraTrim (RS23)



Long Bead Board with Stockton DecraTrim (LPBB20)



Bead Board with Prairie DecraTrim (BB21)



Recessed with Heartland DecraGlass (RE70)



0S1000 Single-Layer: Steel

0S2000

Double-Layer: Steel + Insulation

Designs

The Amarr Oak Summit collection is available in Bead Board, Long Bead Board, Recessed, or Raised panel designs with your choice of nine colors.

See page 30 for complete specifications.



Decorative Windows & Hardware

Give your door a unique carriage house look with a variety of decorative window and hardware options.

See page 11 for decorative hardware options, pp.26-27 for glass and window options.

COLORS













DARK BROWN



GOLDEN OAK (OK)*



MAHOGANY

*Price upcharge applies





AMARR HILLCREST

Beauty that's more than skin deep. With the Amarr Hillcrest collection, you get more than a custom carriage house look with a wide range of colors, decorative hardware and window styles. You get exceptional style and durability with conventional hardware at a competitive price.

The Amarr Hillcrest. Value is a beautiful thing.

Bead Board design with Wagon Wheel DecraTrim in True White with Blue Ridge handles and hinges



DESIGNS

BEAD BOARD (BB)



LONG BEAD BOARD (LPBB)

RECESSED (RE)

RAISED (RS) محمده إحمده Recessed with Mission DecraGlass (RE71)



Raised with Waterford DecraTrim (RS25)



Recessed with Stockton DecraTrim (RE20)



Bead Board with Cascade DecraTrim (BB23)



HI1000 Single-Layer: Steel

HI2000 Double-Layer: Steel + Insulation

HI3138 (NEW)
1-3/8" Triple-Layer:
Steel + Insulation + Steel

2" Triple-Layer: Steel + Insulation + Steel

Designs

The Amarr Hillcrest collection is offered in Bead Board, Long Bead Board, Recessed, or Raised panel carriage house designs.

See page 30 for complete specifications.

Decorative Windows & Hardware

decorative hardware.

Choose DecraTrim window inserts or DecraGlass windows to coordinate with your home's design along with optional

See page 11 for decorative hardware options, pp.26-27 for glass and window options.

COLORS



















Actual paint colors may vary from samples shown.





GOLDEN OAK







*Available in HI3138 only. [†]Price upcharge applies.





AMARR DESIGNER'S CHOICE

Design and energy efficiency make the Amarr Designer's Choice doors popular models. With triple-layer construction and superior insulation R-value of 19.40, these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Recessed design with Stockton DecraTrim in Black



DESIGNS

BEAD BOARD (BB)*



*Amarr DC3138 only available in Bead Board design.

LONG BEAD BOARD (LPBB)



RECESSED (RE)





Bead Board with Cascade DecraTrim (BB23)



Raised Closed (RS)

11

Long Bead Board with Stockton DecraTrim (LPBB20)



with Moonlite DecraTrim (RE24)

Read Roard with Victorian DecraGlass (BB54)



DC3138

1-3/8" Triple-Layer: Steel + Insulation + Steel

DC3200

2" Triple-Layer: Steel + Insulation + Steel Designs

The Amarr Designer's Choice model is available in four carriage house designs and eight colors.

See page 30 for complete specifications.

Decorative Windows & Hardware

Recessed

Choose from DecraTrim inserts or DecraGlass‡ windows to best coordinate with your home.

See page 11 for decorative hardware options, pp.26-27 for glass and window options.

*DC3138 only available in door sizes 8', 9' or 16' wide by 7' or 8' tall.
†True White Bead Board only. 13.35 R-value for all other panels and colors. ‡Available for DC3200 only.

COLORS











Actual paint colors may vary from samples shown.



WALNUT (NT)*

TRUE WHITE



ALMOND

DC3138 only available in True White and Color Zone. *Price upcharge applies





AMARR HERITAGE"

Tradition never goes out of style. Choose from four different panel designs to create the steel garage door you always wanted.


The Amarr Heritage collection features low-maintenance, heavy gauge steel doors in your choice of traditional styles.

Great looks for years to come.

Long Bead Board design with Moonlite DecratTrim in True White with Blue Ridge handles and hinges








CARRIAGE HOUSE NEW BEAD BOARD LONG BEAD BOARD RECESSED RAISED 0000 0000

With Mosaic Window Ontions for traditional designs, you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.



HR1000 Single-Layer: Steel

HR2000 Double-Layer: Steel + Insulation

HR3000

Triple-Layer: Steel + Insulation + Steel

Designs

The Amarr Heritage collection is available in Short, Long, Flush, and Ribbed panel designs and seven color options.

See page 30 for complete specifications.

Decorative Windows

Choose from DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See pp. 26-27 for glass and window options.

Actual paint colors may vary from samples shown.

COLORS













GOLDEN OAK



Woodgrain finishes are dual directional for all panel designs.



† Price upcharge applies.



AMARR STRATFORD°

Time-honored style. The Amarr Stratford collection offers 4 traditional designs, 11 color choices, and more than 20 decorative window options. This durable low-maintenance collection provides section interfaces designed to reduce the risk of serious finger and hand injuries. The Amarr Stratford. A statement of style.

Long Panel design with Trellis DecraGlass in Sandtone



DESIGNS





FLUSH PANEL (FP)

MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.

Short Panel with Sunray DecraTrim (SP27)



Flush Panel (FP) with Short Panel Obscure windows

Long Panel with Heartland DecraGlass (SP70)



Long Panel with Stockton DecraTrim (LP20)





Designs

The Amarr Stratford collection is available in a variety of designs and colors.

See page 30 for complete specifications.



Decorative Windows

Choose from contemporary or craftsman DecraGlass windows or DecraTrim window inserts to coordinate with your home.

See pp. 26-27 for glass and window options.

Actual paint colors may vary from samples shown.

COLORS

ST1000

Single-Layer:

ST 2000

Double-Layer:

Steel + Insulation

Steel















GOLDEN OAK





* Available in Flush Panel design with Stucco texture. † Price upcharge applies.

See page 27 for more information.†



AMARR LINCOLN

Traditional style. Exceptional value. The Amarr Lincoln collection combines unique, yet timeless traditional designs and color options with the durability & strength of steel and conventional hardware. Along with more than 20 decorative window choices, this affordable collection delivers premium style at a competitive price. The Amarr Lincoln. A new tradition of style and value.

Short Panel design with Cascade DecraTrim in Wicker Tan



DESIGNS



FLUSH PANEL (FP)

LONG PANEL (LP)



RIBBED PANEL (RP)

Ribbed Panel available in LI3000 only.

MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.





Long Panel with Cascade DecraTrim (LP23)



Short Panel with Prairie DecraTrim (SP21)

Flush Panel (FP)



Designs



complete specifications.

Decorative Windows

Choose from DecraTrim window inserts or DecraGlass windows to coordinate with your home's design.

See pp. 26-27 for glass and window options.

COLORS

L13000 2" Triple-Layer: Steel + Insulation + Steel

LI1000

L12000

Double-Layer: Steel + Insulation

13138 NEW

1-3/8" Triple-Layer: Steel + Insulation + Steel

Single-Layer: Steel



















HUNTER GREEN (HGI‡









* Available in I I1000/I I2000 ‡ Available in LI3138 only. † Price upcharge applies





AMARR OLYMPUS

When it comes to ultimate protection, the Amarr Olympus stands tall. With triple-layer construction and superior insulation R-value of 19.40[†], these durable, low-maintenance doors give you the ultimate in quiet operation and energy efficiency.

Long Panel design in Black with Long Panel Clear windows



DESIGNS

SHORT PANEL (SP)*



LONG PANEL (LP)



Flush Panel available in True White only.

*Amarr 0L3138 only available in Flush and Short Panel designs.

MOSAIC WINDOWS



With Mosaic Window Options you decide the number and location of windows to create the door design you want. Visit amarr.com/mosaic for design inspirations.

Short Panel with Prairie DecraTrim (SP21)

Long Panel with Moonlite DecraTrim (LP24)

SECRET PROPERTY

Long Panel



OL3138

1-3/8" Triple-Layer: Steel + Insulation + Steel

OL3200

2" Triple-Layer: Steel + Insulation + Steel

Designs

The Amarr Olympus model is available in Short Panel and Long Panel designs and eight color options.

See page 30 for complete specifications.

Decorative Windows

Long Panel with Thames DecraTrim (LP30)

Short Panel (SP) with Short Panel Clear windows

Choose from DecraTrim inserts or DecraGlass‡ windows to best coordinate with your home.

See pp.26-27 for glass and window options.

*0L3138 only available in door sizes 8', 9' or 16' wide by 7' or 8' tall. †True White Short and Flush panels only; 13.35 R-value for all other panels and colors. ‡Available for OL3200 only.

COLORS











Actual paint colors may vary from samples shown.



WALNUT (NT)*

TRUE WHITE



ALMOND

OL3138 only available in True White and Color Zone. *Price upcharge applies


See page 27 for more information.



Tempered obscure glass with baked-on ceramic designs.

Amarr Heritage, Stratford, Lincoln, Hillcrest, Oak Summit, Olympus OL3200 and Designer's Choice DC3200.

GLASS OPTIONS Insulated glass available in Clear, Frost and Dark Tint.* CLEAR (C) OBSCURE (0)* FROST (WF)* DARK TINT (WD)* * Price upcharge applies. Available with Clear DECRATRIM WINDOW INSERTS or Obscure Glass. Amarr Heritage, Stratford, Lincoln and Olympus collections. SHORT PANEL Amarr Heritage, Stratford, Lincoln, LONG PANEL Hillcrest, Oak Summit, Olympus and Designer's Choice collections. CLEAR (C) CLEAR (C) STOCKTON (20) STOCKTON (20) PRAIRIE (21) PRAIRIE (21) CATHEDRAL [22] CATHEDRAL [22] CASCADE (23) WATERFORD (25) WATERFORD (25) \diamond WAGON WHEEL [26] WAGON WHEEL [26] SUNRAY [27] SUNRAY (27) FULL SUNRAY [28] Short Panel Available for 16', 17', and 18' only FULL SUNRAY (28) Long Panel Available for 15', 15' 6", 15' 8", 16', 17', and 18' only. FIVE PIECE SUNRAY for 10' width doors (29) Available only in True White ARCHED THAMES (31) THAMES (30) MOONLITE (24)



Visit amarr.com for instructions on painting.

Painting your garage door voids the warranty.

STEEL CONSTRUCTION

Amarr steel garage doors are built with low-maintenance, heavy-duty steel. Choose from single, double, triple or four-layer construction for your desired level of energy efficiency and noise control. Experience the strength, security, and peace of mind you get with steel.

SINGLE-LAYER:

Steel

Amarr Classica, Oak Summit, Hillcrest, Heritage, Stratford, & Lincoln

- · Heavy-duty Exterior Steel
- · Durable, Reliable, Low Maintenance





DOUBLE-LAYER:

Steel + Insulation

Amarr Classica, Oak Summit, Hillcrest, Heritage, Stratford, & Lincoln

- · Heavy-duty Exterior Steel
- · Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene
 Thermal Insulation with Vinyl Backing
- Energy Efficient
- Quiet Operation



TRIPLE-LAYER:

Steel + Insulation + Steel

Amarr Classica, Designer's Choice, Hillcrest, Heritage, Lincoln, & Olympus

- Heavy-duty Exterior and Interior Steel
- · Durable, Reliable, Low Maintenance
- Environmentally Safe Polystyrene or Polyurethane Thermal Insulation
- Superior Energy Efficiency
- Extra Quiet Operation











- *True White Bead Board only.
- ** All panels and colors except True White Bead Board.
- † True White Short and Flush panels only.
- All panels and colors except
 True White Short and Flush panels.



FOUR-LAYER:

Overlay + Steel + Insulation + Steel

Amarr Carriage Court

- · Heavy-duty Exterior and Interior Steel
- · Durable, Reliable, Low Maintenance
- Environmentally Safe
 Polystyrene Thermal Insulation
- Energy Efficient
- Extra Quite Operation





STEEL SPECIFICATIONS

,				C A	RRIA	GE	H O U :	SE D	ESIG	N						TRA	DITIO	ONAL	DE	SIGN			
Amarr	AMARR CARRIAGE COURT CC4000	AMARR CLASSICA CL1000	AMARR CLASSICA CL2000	AMARR CLASSICA CL3000	AMARR OAK SUMMIT OS1000	AMARR OAK SUMMIT OS2000	AMARR HILLCREST HI1000	AMARR HILLCREST HI2000	AMARR HILLCREST HI3138	AMARR HILLCREST HI3000	AMARR DESIGNER'S CHOICE DC3138	AMARR DESIGNER'S CHOICE DC3200	AMARR HERITAGE HR1000	AMARR HERITAGE HR2000	AMARR HERITAGE HR3000	AMARR STRATFORD ST1000	AMARR STRATFORD ST2000	AMARR LINCOLN LI1000	AMARR LINCOLN LI2000	AMARR LINCOLN LI3138	AMARR LINCOLN LI3000	AMARR OLYMPUS OL3138	AMARR OLYMPUS OL3200
PANEL DESIGNS (Safe Guard)		1	1	1	1	1							1	1	1	1	1						
Short													•						•			TW	
Long													•				•		•				
Flush																•é	•í	•í	•6			TW	TW
Ribbed																							
Carriage House	18 Designs	7 Designs	7 Designs	7 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs	4 Designs	1 Design	4 Designs	4 Designs	4 Designs	4 Designs								
CONSTRUCTION LAYERS	4	1	2	3	1	2	1	2	3	3	3	3	1	2	3	1	2	1	2	3	3	3	3
Steel		•					•						•										
Steel + Insulation			•			•		•											•				
Steel + Insulation + Steel				•					•														
Overlay + Steel + Insulation + Steel	•																						
DOOR THICKNESS	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	2"(5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)	1-3/8"(3.5cm)	2"(5.1cm)
INSULATION	Polystyrene ¹		Polystyrene ¹	Polyurethane		Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane		Polystyrene ¹	Polystyrene ¹		Polystyrene ¹		Polystyrene ¹	Polystyrene ¹	Polystyrene ¹	Polyurethane	Polyurethane
R-VALUE ²	6.48		6.64	13.35		6.64		6.64	6.48	9.05	14.46	19.40*/13.35**		6.64	9.05		6.64		6.64	6.48	9.05	14.46	19.40 ⁺ /13.35
STEEL THICKNESS																							
Gauge (ga)	27/27 ga	24 ga	24 ga	25/27 ga	25 ga	25 ga	25 ga	25 ga	27/27 ga	27/27 ga	27/27 ga	27/27 ga	24 ga	24 ga	24/27 ga	25 ga	25 ga	25 ga	25 ga	27/27 ga	27/27 ga	27/27 ga	27/27 ga
Gauge (mm)	0.42/0.42mm	0.61mm	0.61mm	0.53/0.42mm	0.53mm	0.53mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.61mm	0.61mm	0.61/0.42mm	0.53mm	0.53mm	0.53mm	0.53mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm	0.42/0.42mm
WOODGRAIN EXTERIOR TEXTURE	•	•	•			•	•	•	•	•		•	•			•6	•6	•6	•6			•	•
GALVANIZED END STILES		•	•			•		•									•	•	•				
PAINTED END STILES																							
THERMAL SEAL											•	•										•	•†
BOTTOM WEATHER SEAL																							
Steel Retainer		•				•						•**	•				•	•	•				•‡
Aluminum Retainer																							
Extruded Vinyl										•	•	•*										•	•†
DECORATIVE WINDOW OPTIONS	•	•					•	•		•	•		•						•			•	
WINDOW GLASS OPTIONS																							
3/32" (0.24cm) Single Strength						•	•	•	•										•			•	
1/8" (0.32cm) Tempered 2X Strength		•		•																			
Insulated (Clear, Frost & Dark Tint)	Clear Only			•					•	•	Clear Only	•										Clear Only	
Obscure		•		•		•	•		•	•		•	•	•			•		•				
Frost		•	•	•		•	•	•	•	•		•	•		•		•		•		•		•
Dark Tint		•	•	•		•	•	•	•	•		•	•	•	•	•	•		•	•	•		•
DECORATIVE HARDWARE OPTIONS		•	•	•		•	•	•	•	•	•	•	•7	•7	•7								
EXTERIOR COLOR OPTIONS																							
True White (TW)	•3	•	•	•	•	•	•	•	•	•	•	•	•				•	•	•	•	•	•	•
Almond (AL)	•3	•	•	•		•	•	•	•	•		•	•	•	•	•	•	•	•	•	•		•
Wicker Tan (WK)	•3	•	•	•		•	•	•	•	•		•				•	•		•				•
Sandtone (ST)	•3	•	•	•		•	•	•	•	•		•	•	•		•	•	•	•	•	•		•
Terratone (TT)		•	•	•		•	•	•	•	•							•		•	•	•		
Dark Brown (DN)		•	•	•		•	•	•	•	•		•	•	•			•		•	•	•		•
Hunter Green (HG)									•														
Gray (GY)									•														
Charcoal Gray (EF)		•	•	•			•	•	•	•								•	•	•	•		
Black (BL)		•	•	•			•	•	•	•		•	•	•				•	•	•	•		•
Golden Oak (OK)		•	•	•	•	•	•	•	•	•			•				•	•	•	•	•		
Walnut (NT)		•	•	•		•	•	•	•	•		•	•	•		•	•	•	•	•	•		•
Mahogany (MY)		•	•	•	•	•	•	•	•	•		•	•				•	•	•	•	•		•
WIND LOAD ⁴ AVAILABLE	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PAINT FINISH WARRANTY ⁵	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	15 Years	25 Years	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	Lifetime	15 Years	25 Years	15 Years	25 Years	Lifetime	Lifetime	Lifetime	Lifetime
WORKMANSHIP/HARDWARE WTYS	5 Years	3 Years	5 Years	Lifetime	1 Year	2 Years	1 Year	2 Years	3 Years	3 Years	5 Years	Lifetime	3 Years	5 Years	Lifetime	1 Year	2 Years	1 Year	2 Years	3 Years	3 Years	5 Years	Lifetime
		1.1	culation on An			* T 140	ite Read Roard				1.1	Vith White Ov		4 It is your re	2.22		For complete w		4.51	sh Panel desin		ahla for Carria	



Insulation on Amarr brand doors has passed self-ignition, flamespread, and smoke developed index fire testing.

² Calculated door section R-value is in accordance with DASMA TDS-163.

^{*} True White Bead Board. Based on independent laboratory test results ** All panels and colors except True White Bead Board

[†] True White Short and Flush panels only. Based on independent laboratory test results

All panels and colors except
 True White Short and Flush panels.

³ With White Overlay.

⁴ It is your responsibility to make sure your garage door meets local building codes.

visit amarr.com or contact your local Amarr dealer.

For complete warranty details, based on the street of the street warranty details, wisit amarr.com or contact based on the street of the st



AMARR BY DESIGN AD4000

Get the neighbors talking. Start with the exquisite Amarr by Design collection. Submit your own unique design and let our craftsmen build it. Or choose from one of our many custom wood carriage house styles and an array of materials, windows, and custom hardware to create a truly unique, one-of-a-kind door. Amarr By Design. Get a gorgeous door, and a great conversation piece.

CONSTRUCTION



WOOD

Wood + Insulation + Wood

- · Custom, Handcrafted Carriage House Designs
- Multiple Wood Options
- · Paint or Stain Grade Wood
- Environmentally Safe Polystyrene Thermal Insulation

MAHOGANY

Energy Efficient

RED GRANDIS



INCENSE CEDAR

DESIGNS




LOWRY

PRESTON



ROBERTS







Unlimited design options.

FASTON




RUNION









Designs

Design your own look or pick from one of our many designs. Available with closed top section or with windows. Glass choices include Double Strength or Insulated.

Materials

Design your own door. Choose from the finest milled woods. Paintable or stainable wood exterior.

See page 40 for complete specifications.

Decorative Options

Design your own finishing touches with decorative hardware. Popular choices include door knockers, handles, latches, braces, and strap hinges.

Visit www.amarr.com for all hardware options.


CLEAR VERTICAL GRAIN CEDAR



AMARR HORIZON HO1000

Gain a unique perspective for your home. The Amarr Horizon H01000 combines strong horizontal lines with long, narrow expanses of glass to make a distinctive design statement. These sleek, contemporary, aluminum doors are available with dozens of glazing and color options, so your choices are practically limitless, and the outlook is always bright.

CONSTRUCTION



ALUMINUM


An Amarr Horizon H01000 multiview door offers unique styling to match any modern architecture.

- Extruded aluminum frame provides durability, low maintenance and corrosion resistance
- ClearView Aluminum Strut System does not restrict viewing area and adds strength and durability
- 7' tall doors are three sections high
- Equal glass heights in all sections of a door
- Glass expanses up to 8'2" wide

DOOR CONFIGURATIONS

FOR SINGLE PANE GLAZING


Up to 8'2" WIDE - 1 Panel



16'3"-20'2" WIDE - 3 Panels

FOR INSULATED GLAZING

Up to 10'2" WIDE – 2 Panels



16'3"-20'2" WIDE - 4 Panels

FOR SINGLE PANE GLAZING						
Door Width	# Center Stiles	# Windows/Section				
Up to 8'2"	0	2				
8' 3" - 16' 2"	1	4				
16' 3" – 20' 2"	2	6				

FOR INSULATED GLAZING							
Door Width	# Center Stiles	# Windows/Section					
Up to 10' 2"	1	4					
10' 3" - 16' 2"	2	6					
16' 3" – 20' 2"	3	8					

Exterior Handles

Actual color may vary from samples shown. COLORS

IN STOCK









SPECIAL ORDER ANODIZE





Longer lead time and price upcharge apply.

CHAMPAGNE (AH) PAINT PVDF (Kynar®) & Powder Coat

(AM)









































MILITARY BLUE

CARNIVAL RED II*













*PVDF only.



	PVDF [Kynar®]	Powder Coat
FADE RESISTANT	++	+
CORROSION RESISTANT	++	+
UV RESISTANT	++	+
ABRASION RESISTANT	+	++
STANDARD COLORS	26	21
RAL/CUSTOM COLORS PRICE UPCHARGE	\$	\$\$
TOUCH-UP PAINT	Included	NOT included

GLASS

GREEN

TNT













GRAV



OPAQUE







[†]Laminated, not tempered. Insulated glass not available.

WARRANTY

- · 5-year limited warranty on materials and workmanship
- 5-year limited warranty on hardware
- 5-year limited warranty on finish

GLAZING OPTIONS

1	SINGLE PANE				DUAL PANE				l				SINGLE PANI	E			
	Anne	aled [‡]		Temp	ered		Anne			Tempered	Laminated		Polycarbonate	•		Acrylic	
	1/8"	1/8" Low-E	1/8"	1/8" Low-E	1/4"	1/4" Low-E	1/2"	1/2" Low-E	1/2"	1/2" Low-E	1/4"	Single 1/8"	Single 1/4"	Tri-Wall 5/8"	1/8"	1/4"	1/2"
CLEAR	•	•	•		•	•	•	•	•	•		•	•	•	•	•	•
OBSCURE	•		•		•		•	•	•	•							
GREEN TINT	•		•		•		•	•	•	•							
BRONZE TINT	•		•		•		•	•	•	•				•			
GRAY TINT	•		•		•		•	•	•	•							
GREYLITE	•		•		•		•	•	•	•							
FROST	•		•		•		•	•	•	•				•			
SNOW											•			•			
WHITEOUT											•						
BLACK ICE											•						




AMARR VISTA VI1000

It's the perfect reflection of your style. The modern industrial look goes residential with the introduction of the Amarr Vista collection.

From the outside, these sleek doors perfectly mirror the clean lines and glass expanses of your home's contemporary design. Inside, they transform your garage into a bright and inviting room.

CONSTRUCTION



ALUMINUM

An Amarr Vista full view door offers strength and beauty to match the stylish design of your home.

- 2" thick extruded commercial-grade aluminum frame provides durability, low maintenance and corrosion resistance
- Aluminum Strut System does not restrict viewing area and adds strength and durability to doors; available for up to 24' wide doors, when required
- Available in 21"and 24"section heights; and 18" for odd height doors
- Wind load options available to meet local building codes
- Attractive, modern exterior handles
 (2) included

PANEL CONFIGURATION











DOOR HEIGHT CONFIGURATION

8' (4 tall)








OPTIONAL PANELS

ALUMINUM & INSULATED ALUMINUM PERFORATED ALUMINUM







Shown in Clear Anodized.

0.312" square perforations on ½" centers Also available in Mill finish.

6 columns of (12) 3"x 3/4" vents on a 4' x 24" panel Shown in White Powder Coat

WOOD SPECIFICATIONS

Amarr

SPECIALTY SPECIFICATIONS

zımar

ALUMINUM	AMARR HORIZON HO1000
FRAME CONSTRUCTION	2" thick aluminum
SECTION HEIGHTS	Varies by door height
DOOR WIDTHS	2' – 20' 2" (in 1" increments)
DOOR HEIGHTS	6' – 20'1"
CLEARVIEW STRUT SYSTEM	Only required for doors ≥16'
COLORS	
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat
GLASS	
Transparent	Clear, Obscure, ThermaPro Low-E
Tint	Green, Bronze, Gray, GreyLite
Opaque	Frost, Snow, Whiteout, Black Ice
WIND LOAD¹ AVAILABLE	NA NA
FINISH WARRANTY ²	5 Years
WORKMANSHIP WARRANTY ²	5 Years
HARDWARE WARRANTY ²	5 Years

ALUMINUM	AMARR VISTA VI1000					
FRAME CONSTRUCTION	2" thick aluminum					
SECTION HEIGHTS	21" and 24"; 18" for odd height doors					
CLEARVIEW STRUT SYSTEM	Only required for doors ≥16'					
COLORS						
Anodize	Clear, Champagne, Copper, Medium Bronze, Dark Bronze, Black					
Paint	26 standard PVDF colors, 21 standard Powder Coat colors, RAL and custom colors in both PVDF and Powder Coat					
Mill	Perforated panel only					
GLASS						
Transparent	Clear, Obscure, ThermaPro Low-E					
Tint	Green, Bronze, Gray, GreyLite					
Opaque	Frost, Snow, Whiteout, Black Ice					
OPTIONAL PANELS	Full View, Aluminum, Insulated Aluminum, Louvered, Perforated					
WIND LOAD ¹ AVAILABLE	•					
FINISH WARRANTY ²	5 Years					
WORKMANSHIP WARRANTY ²	5 Years					
HARDWARE WARRANTY ²	5 Years					

¹ It is your responsibility to make sure your garage door meets local building codes.

	AMARR® BY DESIGN AD4000
PANEL DESIGNS	
Carriage House	Unlimited Designs
CONSTRUCTION*	
Wood + Insulation + Wood	•
DOOR THICKNESS	3" (7.6cm)
WOOD BASEPLY OPTIONS	
5/8" MDO Plywood (paint grade only)	•
1/2" Marine Grade Plywood	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
TRIM OVERLAY OPTIONS	
5/8" Moisture-and Rot-resistant	•
Extira Exterior Panel (paint grade only)	•
5/8" Incense Cedar	•
5/8" Clear Vertical Grain Cedar	•
5/8" Red Grandis	•
5/8" Mahogany	•
Other materials available upon request	•
OPTIONAL WOOD DISTRESSING	•
SECTION HEIGHT OPTIONS	18", 21", 28" or 32"
POLYSTYRENE INSULATION (1-3/8" thick)	•
R-VALUE	9.0
BOTTOM WEATHER SEAL	•
DECORATIVE WINDOW OPTIONS	
1/8" (0.32cm) Double Strength	•
Insulated	•
OPTIONAL DECORATIVE HARDWARE	•
WIND LOAD¹ AVAILABLE*	•
FIRE RATED DOORS AVAILABLE ²	•
SECTION WARRANTY ³	1 Year

sure your garage door meets local building codes.

Doors are shipped natural. Priming is available for paint grade doors. All doors require finishing on all six [6] sides of each section within two days of receipt of door[s] and prior to installation. Visit amarr.com for finishing recommendations.

HARDWARE SPECIFICATIONS

TRACK: 2" industrial grade galvanized .083 horizontal and vertical track. Standard lift 2SC-15" radius or 2LC-6" low headroom clearance. For doors over 650 lbs, 3" track.

HINGES: Up to 12': Single-end 11ga graduated galvanized. 12' and over:
Double-end 11ga graduated galvanized.

ROLLERS: 2" nylon 10-ball bearing commercial rollers (short stem for up to 12'; long stem for 12' and over).

STRUTS: 3" galvanized struts

COUNTER BALANCE: 10,000 cycle torsion springs, cast aluminum cable drums, 1" diameter 11ga torsion tube. For doors over 650 lbs, solid core steel shaft and coupler if exceeding 151" in length.

FASTENERS: Cadmium plated fasteners (standard) for on-door hardware and securing tracks to jambs. All hinge fasteners are factory installed with concealed bolt heads (under the trim overlay).

OPERATION: Manual push-up. No lock assembly is supplied. Electric openers with 3/4 hp recommended for best possible operation.

Doors available in various heights and widths. Hardware specifications are consistent with doors not exceeding 18' wide and 10' high. Requirements escalate with door size and weight and have limitations. Contact your local Amarr dealer for specific details.

² For complete warranty details contact your local Amarr dealer.

Optional: Special-designed doors meet guidelines for CA Building Codes for use in Wildlife Urban Interface (WUI). Fire-rated doors with insulated and tempered glass windows available.

³ For complete warranty details, visit amarr.com or contact your local Amarr dealer.

^{*} Optional: Wood-on-steel section construction is available. Some wind load pressures may require wood-on-steel section construction.



Our Philosophy. Since 1951, we have successfully raised the standards of quality, value, and dependability in the garage door industry. Today, with the same promise of individual attention and great value for all our customers, we remain committed to offering Amarr products and services that raise those standards even higher.

Entrematic

165 Carriage Court Winston-Salem, NC 27105 800.503.D00R

www.amarr.com

Entrematic, Amarr, Classica, Heritage, Stratford and Oak Summit as words and logos are trademarks owned by Entrematic Group AB or companies within the Entrematic Group.

Door specifications and technical data subject to change without notice.

Sectional door products from Entrematic may be the subject of one or more U.S. and/or foreign, issued and/or pending, design and/or utility patents.

©Entrematic Group AB 2019. All rights reserved. Printed in USA Form #6011219/4.5M/GVS







Visit amarr.com for additional products distributed by Entrematic, including garage accessories and a full line of commercial sectional, rolling slat, and rolling steel doors.

Your Local Amarr Dealer: